

May 2020

### **UL Recognized Deck Finish Combinations**

Verco Decking, Inc is pleased to offer the following UL recognized deck finish combinations:

Verco decks that can have the UL mark on the bundle tag.

- Cellular deck (CD) – Roof or FormLok – Only with concrete on top
- CD acoustical deck – Roof or FormLok – Only with concrete on top
- All galvanized (G30 min.) fluted (non-CD) Verco Deck – No primer
- All galvanized (G30 min.) fluted (non-CD) Verco Deck with UL gray primer
- All bare steel fluted (non-CD) Verco Deck with UL gray primer
- Bare steel (mill finish) fluted (non-CD) Verco Deck – This is only allowed in limited designs.

Verco decks that cannot have the UL mark on the bundle tag


- Fluted (non-cellular) acoustical deck
- Any white or special color factory primer painted deck
- Any deck that has any other coating

There are exceptions that allow for non-labelled deck in a UL assembly, but it takes the engineer of record and/or local code official or fire marshal to grant that exception.

Refer to the UL Fire Resistance Directory for complete assembly and approval information.

If you have any additional questions or concerns, or if you wish to discuss this further, please feel free to contact me directly.

Best regards,



**Kelsey Lavicka,**  
Engineer, PE  
Verco Decking, Inc. - **a Nucor Company**  
602-353-2004 Office  
[KLavicka@vercodeck.com](mailto:KLavicka@vercodeck.com)